

ARCHITECTS INC 74 LINDSAY ST. SOUTH LINDSAY, ONTARIO PHONE: 705-328-0175

wilcox.off@gmail.com







Catholic District School Board

DRAWING LIST

A I -A4 PETER L. ROACH CATHOLIC EDUCATION CENTRE - PETERBOROUGH A5-A8 ST. ANNE C.E.S. - PETERBOROUGH A9-A13 ST. JOSEPH C.E.S. - COBOURG

GENERAL NOTES

ALL DIMENSIONS/SECTION PROFILES ARE

APPROXIMATE AND FOR GENERAL REFERENCE ONLY. . PROVIDE TEMPORARY HOARDINGS AS REQUIRED TO PROTECT THE BUILDING FROM THE ELEMENTS. MAINTAIN THE SECURITY OF THE BUILDING AT ALL

. REPAIR ALL DAMAGES INCURRED DUE TO RENOVATIONS AND FINISH TO MATCH EXISTING. . REMOVAL AND REINSTALLATION OF ALL DRAPERIES/RODS & FURNITURE BY OWNER U.O.N. . ALL WORK TO MEET OR EXCEED O.B.C. STANDARDS

TYPICAL NOTES


DEMOLITION

REMOVE AND DISPOSE OFF SITE, EXISTING ALUMINUM WINDOWS/FRAMES, SASHES, SCREENS VERTICAL/HORIZONTAL MULLIONS, SPANDRELS, ANCHORS AND CAULKING. REMOVE DOORS/FRAMES \$ THRESHOLDS AS NOTED. . REMOVE RUST/CLEAN EX. STEEL LINTELS ABOVE NEW WINDOWS PRIOR TO INSTALLATION. PRIME \$

NEW WORK

SUPPLY AND INSTALL FACTORY ASSEMBLED AND PREFINISHED EXTRUDED ALUMINUM WINDOWS/SPANDRELS, DOORS \$ LOW PROFILE THRESHOLDS AS SPECIFIED, COMPLETE w/TRIMMINGS, FILLERS, GLAZING, OPERABLE HARDWARE, ALUMINUM MESH INSECT SCREENS, WEATHERSTRIPPING, EXTERIOR AND INTERIOR CAULKING, BLOCKING IF REQUIRED, ANCHORAGES, ATTACHMENTS, SHIMS AND INSULATION AS REQUIRED FOR A COMPLETE INSTALLATION. FOAM \$ CAULK ALL NEW WINDOW PERIMETERS INSIDE \$ OUT. (TYP.)

. ALL WINDOW FRAMES \$ ALUMINUM TRIM TO BE 'CLEAR ANODIZED'.



FOR TENDER & PERMIT APRIL 19/2021 DATE: ISSUED:

THIS DRAWING IS COMPLIMENTARY & MUST BE READ I CONJUNCTION WITH ALL THE OTHER DRAWINGS AND/ OR SPECIFICATIONS. REPORT ANY INCONSISTENCIES TO THE ARCHITECT.

2021 WINDOW REPLACEMENT PETER L. ROACH CATHOLIC EDUCATION CENTRE

919 D'ARCY STREET, COBOURG, ONTARIO K9A 4B4

DRAWING TITLE:

KEY - FLOOR PLANS EX. ELEVATIONS

AS NOTED SCALE:

CHECKED BY: GW

DRAWN BY:

PG | OF 4 21017

DRAWING NUMBER:







PROJECT NORTH

APRIL 19/2021 FOR TENDER & PERMIT DATE: ISSUED:

THIS DRAWING IS COMPLIMENTARY & MUST BE READ II CONJUNCTION WITH ALL THE OTHER DRAWINGS AND/ OR SPECIFICATIONS. REPORT ANY INCONSISTENCIES TO THE ARCHITECT.

2021 WINDOW REPLACEMENT PETER L. ROACH CATHOLIC EDUCATION CENTRE

919 D'ARCY STREET, COBOURG, ONTARIO K9A 4B4

EX. & NEW ELEVATIONS

AS NOTED SCALE:

DRAWN BY:

CHECKED BY: GW

PG 2 OF 4 21017

DRAWING NUMBER:

