



Distributor of Quality HVAC Products

214, JARDIN DRIVE UNIT 5  
VAUGHAN, ON, L4K 1X8

Phone: 905-669-1777



## Prepared for

Trillium Lakelands District School Board  
300 County Road 36  
Lindsay ON K9V 4R4  
CANADA

Requested by : Darren Lambert  
Phone no. :  
Quotation No. :  
Project Name : TLDSB School

Doc. date : 2021/04/28  
Valid until : 2021/05/24  
Sales Reps : Anton Wolmarans  
Branch : Vaughan  
Extension : 102  
Email : Anton@multihvac.ca  
Prepared by: : Esme Wolmarans  
Payment terms :

| Tag #                          | Item no.                                                         | Item name                                                                                | Qty. |
|--------------------------------|------------------------------------------------------------------|------------------------------------------------------------------------------------------|------|
| <b>Bobcaygeon PS - Gym</b>     |                                                                  |                                                                                          |      |
|                                | X3-3938-11B-QCA-R                                                | HVAC Coil - Capital Coil                                                                 | 1    |
|                                | HZX20AE3                                                         | AHU-Kit 208-230/1/60 - Hisense                                                           | 1    |
|                                | AVW114HFFH                                                       | 114K BTU Outdoor Unit VRF Hi-Smart H Series, Side Discharge 208-230/3/60 - Hisense       | 1    |
|                                | c/w Controls to operate stand alone                              |                                                                                          |      |
|                                | Coil to be installed in duct of existing air handler - BY OTHERS |                                                                                          |      |
|                                | Condensate Pump - BY OTHERS                                      |                                                                                          |      |
|                                | HS-AC-BAC-16                                                     | BACNET Interface - Hisense                                                               | 1    |
|                                |                                                                  | Freight to 30 Balaclava St, Bobcaygeon, ON K0M 1A0                                       | 1    |
| <b>Bobcaygeon PS - Library</b> |                                                                  |                                                                                          |      |
|                                | AVD54H3FCH                                                       | VRF 54K BTU High ESP Ceiling Ducted Indoor unit (230/1/60) c/w Condensate pump - Hisense | 1    |
|                                | FLTR001                                                          | Filter Frame with MERV 13 Filter                                                         | 1    |
|                                | AVW60H3FH                                                        | 60K BTU Outdoor Unit VRF Hi-Smart H Series, Side Discharge 208-230/1/60 - Hisense        | 1    |
|                                | HYXEVA01                                                         | Wired Controller - Hisense                                                               | 1    |
|                                | HS-AC-BAC-16                                                     | BACNET Interface - Hisense                                                               | 1    |
|                                |                                                                  | Freight to 30 Balaclava St, Bobcaygeon, ON K0M 1A0                                       | 1    |





Distributor of Quality HVAC Products

214, JARDIN DRIVE UNIT 5  
VAUGHAN, ON, L4K 1X8

Phone: 905-669-1777

## Prepared for

Trillium Lakelands District School Board  
300 County Road 36  
Lindsay ON K9V 4R4  
CANADA

Requested by : Darren Lambert  
Phone no. :  
Quotation No. :  
Project Name : TLDSB School

Doc. date : 2021/04/28  
Valid until : 2021/05/24  
Sales Reps : Anton Wolmarans  
Branch : Vaughan  
Extension : 102  
Email : Anton@multihvac.ca  
Prepared by: : Esme Wolmarans  
Payment terms :

| Tag #                                     | Item no.    | Item name                                                                             | Qty. |
|-------------------------------------------|-------------|---------------------------------------------------------------------------------------|------|
| <b>King Albert PS - Gym &amp; Library</b> |             |                                                                                       |      |
|                                           | AVBC24H3FKA | VRF 24K BTU Ceiling Cassette Indoor unit,<br>208-230/1/60 - Hisense                   | 2    |
|                                           | AVW48H3FH   | 48K BTU Outdoor Unit VRF Hi-Smart H Series, Side<br>Discharge 208-230/1/60 - Hisense  | 1    |
|                                           | HYXEVA01    | Wired Controller - Hisense                                                            | 2    |
|                                           |             | Freight to 49 Glenelg St., Lindsay, ON K9V 2T9                                        | 1    |
| <b>Grandview PS - Gym &amp; Library</b>   |             |                                                                                       |      |
|                                           | AVD96UX2SFH | Hisense VRF High Static Horizontal Ducted 96Kbtu/h                                    | 1    |
|                                           | FLTR001     | Filter Frame with MERV 13 Filter                                                      | 1    |
|                                           | AVBC48H3FKA | VRF 48K BTU Ceiling Cassette Indoor unit,<br>208-230/1/60 - Hisense                   | 1    |
|                                           | AVW114HFFH  | 114K BTU Outdoor Unit VRF Hi-Smart H Series, Side<br>Discharge 208-230/3/60 - Hisense | 1    |
|                                           | HYXEVA01    | Wired Controller - Hisense                                                            | 2    |
|                                           | HKF-200B2E9 | HRV - Hisense                                                                         | 1    |
|                                           |             | Low Temp HRV Cut-out Stat                                                             | 1    |
|                                           | BRKT10000   | 10 Ton Hisense Wall Bracket                                                           | 1    |
|                                           |             | Freight 698 ON-7A, Bethany, ON L0A 1A0                                                | 1    |





Distributor of Quality HVAC Products

214, JARDIN DRIVE UNIT 5  
VAUGHAN, ON, L4K 1X8

Phone: 905-669-1777

## Prepared for

Trillium Lakelands District School Board  
300 County Road 36  
Lindsay ON K9V 4R4  
CANADA

Requested by : Darren Lambert  
Phone no. :  
Quotation No. :  
Project Name : TLDSB School

Doc. date : 2021/04/28  
Valid until : 2021/05/24  
Sales Reps : Anton Wolmarans  
Branch : Vaughan  
Extension : 102  
Email : Anton@multihvac.ca  
Prepared by: : Esme Wolmarans  
Payment terms :


| Tag # | Item no. | Item name | Qty. |
|-------|----------|-----------|------|
|-------|----------|-----------|------|

### Mariposa PS

|              |                                                                                   |   |
|--------------|-----------------------------------------------------------------------------------|---|
| AVD96UX2SFH  | Hisense VRF High Static Horizontal Ducted 96Kbtu/h                                | 1 |
| FLTR001      | Filter Frame with MERV 13 Filter                                                  | 1 |
| AVW96HFFH    | 96K BTU Outdoor Unit VRF Hi-Smart H Series, Side Discharge 208-230/3/60 - Hisense | 1 |
| HYXEVA01     | Wired Controller - Hisense                                                        | 1 |
| HS-AC-BAC-16 | BACNET Interface - Hisense                                                        | 1 |
|              | Freight to 755 Eldon Rd, Mariposa, ON K0M 2M0                                     | 1 |

### Archie Stouffer Elementary School - Gym

|                   |                                                                                    |   |
|-------------------|------------------------------------------------------------------------------------|---|
| X3-6161-10B-HCA-R | HVAC Coil - Capital Coil                                                           | 1 |
|                   | 2 Circuit intertwined 20 Ton DX coil                                               |   |
|                   | Coil to be installed in duct of existing air handler - BY OTHERS                   |   |
|                   | Condensate Drain Pump - BY OTHERS                                                  |   |
| HZX20AE3          | AHU-Kit 208-230/1/60 - Hisense                                                     | 2 |
| AVW114HFFH        | 114K BTU Outdoor Unit VRF Hi-Smart H Series, Side Discharge 208-230/3/60 - Hisense | 2 |
|                   | Split outdoor 10 ton DX condensing unit - c/w Controls to operate stand alone      |   |
| BRKT10000         | 10 Ton Wall Bracket                                                                | 2 |





Distributor of Quality HVAC Products

214, JARDIN DRIVE UNIT 5  
VAUGHAN, ON, L4K 1X8

Phone: 905-669-1777

## Prepared for

Trillium Lakelands District School Board  
300 County Road 36  
Lindsay ON K9V 4R4  
CANADA

Requested by : Darren Lambert  
Phone no. :  
Quotation No. :  
Project Name : TLDSB School

Doc. date : 2021/04/28  
Valid until : 2021/05/24  
Sales Reps : Anton Wolmarans  
Branch : Vaughan  
Extension : 102  
Email : Anton@multihvac.ca  
Prepared by: : Esme Wolmarans  
Payment terms :

| Tag # | Item no. | Item name | Qty. |
|-------|----------|-----------|------|
|-------|----------|-----------|------|

|  |  |                                                    |   |
|--|--|----------------------------------------------------|---|
|  |  | Freight to 12 Vintage Crescent, Minden, ON K0M 2K0 | 1 |
|--|--|----------------------------------------------------|---|

### Spruce Glen PS - Classrooms

|            |                                                                                       |   |
|------------|---------------------------------------------------------------------------------------|---|
| AVD27H3FCH | VRF Ceiling Ducted high ESP 27K BTU ,<br>208-230/1/60 - Hisense                       | 7 |
| FLTR001    | Filter Frame with MERV 13 Filter                                                      | 7 |
| AVW76HFFH  | 76K BTU Outdoor Unit VRF Hi-Smart H Series, Side<br>Discharge 208-230/3/60 - Hisense  | 1 |
| AVW114HFFH | 114K BTU Outdoor Unit VRF Hi-Smart H Series, Side<br>Discharge 208-230/3/60 - Hisense | 1 |
| HFQ162F    | Branch Joint - Hisense                                                                | 3 |
| HFQ102F    | Heat Pump Distribution Joint - Hisense                                                | 2 |
| HYXEVA01   | Wired Controller - Hisense                                                            | 7 |
| HKF-80B2E2 | HRV - Hisense                                                                         | 7 |
|            | Low Temp HRV Cut-out Stat                                                             | 7 |
|            | Freight to 550 Muskoka District Road 3, Huntsville, ON<br>P1H 1C9                     | 1 |

### KP Manson PS - Classrooms

|            |                                                                 |   |
|------------|-----------------------------------------------------------------|---|
| AVD27H3FCH | VRF Ceiling Ducted high ESP 27K BTU ,<br>208-230/1/60 - Hisense | 2 |
|------------|-----------------------------------------------------------------|---|





Distributor of Quality HVAC Products

214, JARDIN DRIVE UNIT 5  
VAUGHAN, ON, L4K 1X8

Phone: 905-669-1777

## Prepared for

Trillium Lakelands District School Board  
300 County Road 36  
Lindsay ON K9V 4R4  
CANADA



Requested by : Darren Lambert  
Phone no. :  
Quotation No. :  
Project Name : TLDSB School

Doc. date : 2021/04/28  
Valid until : 2021/05/24  
Sales Reps : Anton Wolmarans  
Branch : Vaughan  
Extension : 102  
Email : Anton@multihvac.ca  
Prepared by: : Esme Wolmarans  
Payment terms :

| Tag # | Item no.   | Item name                                                                                   | Qty. |
|-------|------------|---------------------------------------------------------------------------------------------|------|
|       | AVD30H3FCH | VRF 30K BTU High ESP Ceiling Ducted Indoor unit<br>(230/1/60) c/w Condensate pump - Hisense | 3    |
|       | FLTR001    | Filter Frame with MERV 13 Filter                                                            | 5    |
|       | AVW114HFFH | 114K BTU Outdoor Unit VRF Hi-Smart H Series, Side<br>Discharge 208-230/3/60 - Hisense       | 1    |
|       | HFQ162F    | Branch Joint - Hisense                                                                      | 1    |
|       | HFQ102F    | Heat Pump Distribution Joint - Hisense                                                      | 3    |
|       | HYXEVA01   | Wired Controller - Hisense                                                                  | 5    |
|       | HKF-80B2E2 | HRV - Hisense                                                                               | 5    |
|       |            | Low Temp HRV Cut-out Stat                                                                   | 5    |
|       |            | Freight to 1017 Graham Rd, Severn Bridge, ON P0E<br>1N0                                     | 1    |

### Honey Harbour PS - Classrooms

|            |                                                                                             |   |
|------------|---------------------------------------------------------------------------------------------|---|
| AVD27H3FCH | VRF Ceiling Ducted high ESP 27K BTU ,<br>208-230/1/60 - Hisense                             | 2 |
| AVD30H3FCH | VRF 30K BTU High ESP Ceiling Ducted Indoor unit<br>(230/1/60) c/w Condensate pump - Hisense | 3 |
| FLTR001    | Filter Frame with MERV 13 Filter                                                            | 5 |





Distributor of Quality HVAC Products

214, JARDIN DRIVE UNIT 5  
VAUGHAN, ON, L4K 1X8

Phone: 905-669-1777

## Prepared for

Trillium Lakelands District School Board  
300 County Road 36  
Lindsay ON K9V 4R4  
CANADA

Requested by : Darren Lambert  
Phone no. :  
Quotation No. : TLDSB School  
Project Name :

Doc. date : 2021/04/28  
Valid until : 2021/05/24  
Sales Reps : Anton Wolmarans  
Branch : Vaughan  
Extension : 102  
Email : Anton@multihvac.ca  
Prepared by: Esme Wolmarans  
Payment terms :

| Tag # | Item no.   | Item name                                                                          | Qty. |
|-------|------------|------------------------------------------------------------------------------------|------|
|       | AVW114HFFH | 114K BTU Outdoor Unit VRF Hi-Smart H Series, Side Discharge 208-230/3/60 - Hisense | 1    |
|       | BRKT10000  | 10 Ton Wall Bracket                                                                | 1    |
|       | HFQ162F    | Branch Joint - Hisense                                                             | 1    |
|       | HFQ102F    | Heat Pump Distribution Joint - Hisense                                             | 3    |
|       | HYXEVA01   | Wired Controller - Hisense                                                         | 5    |
|       | HKF-80B2E2 | HRV - Hisense                                                                      | 5    |
|       |            | Low Temp HRV Cut-out Stat                                                          | 5    |
|       |            | Freight to 2586 Honey Harbour Rd, Honey Harbour, ON P0E 1E0                        | 1    |





Distributor of Quality HVAC Products

214, JARDIN DRIVE UNIT 5  
VAUGHAN, ON, L4K 1X8

Phone: 905-669-1777


### Prepared for

Trillium Lakelands District School Board  
300 County Road 36  
Lindsay ON K9V 4R4  
CANADA

Requested by : Darren Lambert  
Phone no. :  
Quotation No. : 103753rev1  
Project Name : TLDSB School

Doc. date : 2021/04/28  
Valid until : 2021/05/24  
Sales Reps : Anton Wolmarans  
Branch : Vaughan  
Extension : 102  
Email : Anton@multihvac.ca  
Prepared by: : Esme Wolmarans  
Payment terms : NET30-Upon Credit Approval

| Tag # | Item no. | Item name | Qty. | Total \$ |
|-------|----------|-----------|------|----------|
|-------|----------|-----------|------|----------|





REFRIGERATION | HEATING | AIR CONDITIONING

08/04/2021

|            |           |                                              |                          |
|------------|-----------|----------------------------------------------|--------------------------|
| Quote :    |           |                                              |                          |
| Project :  | 8,002,307 | TLDSB - Honey Harbour PS (Honey Harbour, ON) | Planned                  |
| Customer : | 72,780    | DIVERS/SUNDRY VAUGHAN DC                     | By : Kevin Noll          |
| Phone :    |           | Contact : TLDSB - Honey Harbour PS           | E-mail : knoll@master.ca |
| Fax :      |           | P.O. :                                       | For : HOUSE TORONTO      |

| Qty. | Template & Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |  |
|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| 1    | (N) ZXG14T2C3AA1A221A3<br>12.5 Ton, York Sun Core Single Packaged R-410A Air Conditioner, Two Stage Cooling, 10.8 EER, Gas Heat, 250 MBH Two Stage Input High Heat Stainless Steel Gas, 208/230-3-60<br>• VFD IntelliSpeed<br>• High Static Belt Drive Blower<br>• Smart Equipment Controller including Discharge Air, Return Air, and Outdoor Air Temperature Sensors.<br>• Non-powered Convenience Outlet<br>• Non-fused Disconnect (100 Amp)<br>• Microchannel All Aluminum Condenser Coil, Copper tube/Aluminum fin Evaporator Coil |  |
| 1    | 1RC0459A<br>24" non-insulated roof curb for large footprint Sun Core unit (7-12T)                                                                                                                                                                                                                                                                                                                                                                                                                                                       |  |
| 1    | 2EC0402<br>Field Installed Dual Enthalpy Kit (Includes two humidity sensors) for all models with SSE control                                                                                                                                                                                                                                                                                                                                                                                                                            |  |
| 1    | 2AQ04700624<br>CO <sup>2</sup> Unit Mount Accessory (Field Installed)                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |  |
| 1    | 2PE04704525<br>Power Exhaust Horiz Flow Large Footprint (CDR series) 208V-230V 3-ph                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |
| 1    | 2EE04707324<br>Field Installed Economizer, Dry-Bulb, Horizontal Flow, Large Footprint, Tall Cabinet (with Barometric Relief) to fit Sun Core ZX09, ZX12, ZX14                                                                                                                                                                                                                                                                                                                                                                           |  |
| 1    | 1NP0457<br>NG to LPG Conversion Kit for ZX08-14 low, medium, high heat; ZY08-12 low, medium, high heat; ZY07 medium and high heat                                                                                                                                                                                                                                                                                                                                                                                                       |  |

Master Group Tel: (705) 790-6970



REFRIGERATION | HEATING | AIR CONDITIONING

21/04/2021

|            |                                    |                          |             |      |                             |
|------------|------------------------------------|--------------------------|-------------|------|-----------------------------|
| Quote :    | TLDSB KING ALBERT PS - LINDSAY, ON |                          |             |      |                             |
| Project :  |                                    |                          |             |      |                             |
| Customer : | 72,780                             | DIVERS/SUNDRY VAUGHAN DC |             | By : | Siddharth Khattar           |
| Phone :    |                                    | Contact :                | NIKKI POPOW |      | E-mail : skhattar@master.ca |
| Fax :      |                                    |                          | P.O. :      |      | For : HOUSE TORONTO         |

| Qty. | Template & Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |  |
|------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|      | <b><u>RTU - 10Ton - 208-230V 3Ph</u></b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |
| 1    | (N) ZXG12T2C3AA1C221A3<br>10 Ton, York Sun Core Single Packaged R-410A Air Conditioner, Two Stage Cooling, 11.0 EER, Gas Heat, 250 MBH Two Stage Input High Heat Stainless Steel Gas, 208/230-3-60, VFD IntelliSpeed, Enthalpy Economizer (Downflow only) (with Barometric Relief) with Economizer Fault Detection & Diagnostic (Meets ASHRAE 90.1-2013, IECC 2015, California Title 24, AMCA 511), High Static Belt Drive Blower, Smart Equipment Controller including Discharge Air, Return Air, and Outdoor Air Temperature Sensors., Non-powered Convenience Outlet, Non-fused Disconnect (100 Amp), Microchannel All Aluminum Condenser Coil, Copper tube/Aluminum fin Evaporator Coil |  |
| 1    | 2AQ04700624<br>CO <sup>2</sup> Unit Mount Accessory (Field Installed)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |  |
| 1    | (N) 2PE04704325<br>Power Exhaust Vert Flow Large Foot Print 208-230V 3Ph                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |
| 1    | 1RC0459A<br>24" non-insulated roof curb for large footprint Sun Core unit (7-12T)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |  |
| 1    | (N) FREIGHT<br>DELIVERY TO SITE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |  |

Master Group Tel: Fax: