

**Rivett Architectural Hardware Ltd.**  
**Door Listing**  
**MONSIGNOR PHILIP COFFEY CS - OSHAWA, ONTARIO**

**Schedule 90938**  
**Date Mar 03-22**

<b>Door Number</b>	<b>Set Number</b>
101	1

**Rivett Architectural Hardware Ltd.**  
**Hardware Schedule**  
**MONSIGNOR PHILIP COFFEY CS - OSHAWA, ONTARIO**

**Schedule 90938**  
**Date Mar 03-22**

**Set # 1**

1 SINGLE DR # 101 EXISTING CORRIDOR TO UNIVERSAL W/RM 101 RH  
1 -965 x 2150 x 45 x HMD x PSF

**Qty**

:	:	3 EA	HINGE	BB1168-114 X 101- 626
:	:	1 EA	STOREROOM LOCK	ND80PD X RHO X ASA X 626
:	:	1 EA	ADD ON FOR I/C CORE	ADD I/C TO LOCK
:	:	1 EA	D LOCK LEVER PRIMUS CYLINDER	PRIMUS 20-765 X 626
:	:	1 EA	DOOR OPERATOR	SW200i X SINGLE HSG X 628
			110v to head of frame by EC	
:	:	1 EA	DOOR OPERATOR ADD ON	SW200i ADD FOR INSWING ARM
:	:	1 EA	ELECTRIC STRIKE FAIL SAFE	1006 X FS X CLB X 630
			low voltage wiring to strike by EC	
:	:	1 EA	OCCUPIED & EMERGENCY KIT RECES	#OCC-1-EMR-R KIT
			all single gang junction boxes and low voltage wiring to all boxes by EC	
:	:	1 EA	LABOUR CHARGE ( STD BUTTON)	LABOUR - INSTAL OP-OCC1-ES-EMR
:	:	1 EA	KICKPLATE	190S X 203 X 914 X 630
:	:	1 EA	WALL STOP	232W X 626